

## LUX OUTDOOR MB CW

Installation :

Project number :

Customer :

Processed by :

Date : 17.03.2020

The following values are based on precise calculations performed on calibrated lamps and luminaires, and their configurations, whereby gradual, unavoidable deviations can occur in practice. All guarantee claims are excluded for the specified data.

This exclusion of liability applies irrespective of the legal grounds for both damages and consequential damages suffered by users and third parties.

Object : LUX OUTDOOR MB CW  
Installation :  
Project number :  
Date : 17.03.2020

## 1 Luminaire data

### 1.1 NEMO Studio, LUX OUTDOOR MB CW (BLUX02014170CS)

#### 1.1.1 Data sheet

---

**Manufacturer: NEMO Studio**

**BLUX02014170CS**

**LUX OUTDOOR MB CW**


#### Luminaire data

Luminaire efficacy : 75.8 lm/W  
Classification : A80 ↓100.0% ↑0.0%  
CIE Flux Codes : 98 99 100 100 115  
UGR 4H 8H : <10.0 / <10.0  
Power : 1.2 W

#### Equipped with


Quantity : 1  
Designation : Source  
Colour : 6160 K  
Luminous flux : 91 lm  
Colour reproduction : 75

Dimensions : Ø44 mm x 56 mm



## 1.1 NEMO Studio, LUX OUTDOOR MB CW (BLUX02014170CS)

### 1.1.2 LDC




Manufacturer : NEMO Studio  
 Order number : BLUX02014170CS  
 Luminaire name : LUX OUTDOOR MB CW  
 Equipment : 1 x Source 1.2 W / 91 lm  
 Dimensions : D 44 mm x H 56 mm  
 File name : BLUX02014170CS.LDT

Luminaire efficacy : 75.8 lm/W (A80)  
 Light distribution : rotationally symmetric  
 Beam Angle : 24.5° C0-C180

## 1.1 NEMO Studio, LUX OUTDOOR MB CW (BLUX02014170CS)

### 1.1.3 Cone diagram



Note: The illuminance is calculated with  $I(\gamma=0)!$

Manufacturer : NEMO Studio  
 Order number : BLUX02014170CS  
 Luminaire name : LUX OUTDOOR MB CW  
 Equipment : 1 x Source 1.2 W / 91 lm  
 Dimensions : D 44 mm x H 56 mm  
 File name : BLUX02014170CS.LDT

Luminaire efficacy : 75.8 lm/W (A80)  
 Light distribution : rotationally symmetric  
 Beam Angle : 24.5° C0-C180