

SHARP_ZOOM 927 - narrow

Installation :

Project number :

Customer :

Processed by :

Date : 20.03.2020

The following values are based on precise calculations performed on calibrated lamps and luminaires, and their configurations, whereby gradual, unavoidable deviations can occur in practice. All guarantee claims are excluded for the specified data.

This exclusion of liability applies irrespective of the legal grounds for both damages and consequential damages suffered by users and third parties.

Object : SHARP_ZOOM 927 - narrow
Installation :
Project number :
Date : 20.03.2020

1 Luminaire data

1.1 NEMO Studio, SHARP_ZOOM 927 - narrow... (MPFB__01929D__ ...)

1.1.1 Data sheet

Manufacturer: NEMO Studio

MPFB__01929D__ narrow

SHARP_ZOOM 927 - narrow


Luminaire data

Luminaire efficacy : 16.2 lm/W
Classification : A70 ↓100.0% ↑0.0%
CIE Flux Codes : 84 95 99 100 100
UGR 4H 8H : 17.1 / 17.1
Power : 25 W

Equipped with


Quantity : 1
Designation : Source
Colour : 2750 K
Luminous flux : 405 lm
Colour reproduction : 94

Dimensions : Ø90 mm x 292 mm



1.1 NEMO Studio, SHARP_ZOOM 927 - narrow... (MPFB__01929D__ ...)

1.1.2 LDC



Manufacturer : NEMO Studio
Order number : MPFB__01929D__ narrow
Luminaire name : SHARP_ZOOM 927 - narrow
Equipment : 1 x Source 25 W / 405 lm
Dimensions : D 90 mm x H 292 mm
File name : MPFB__01929D__ narrow.LDT

Luminaire efficacy : 16.2 lm/W (A70)
Light distribution : rotationally symmetric
Beam Angle : 8° C0-C180