

IN THE WIND

PENDANT HORIZONTAL

Arihiro Miyake

Pendant lamps for a warm and widespread LED lighting. The structure is manufactured through a technology of torsion and misalignment of the aluminium extruded bar, expressly studied by Nemo. It allows a 360° LED emission. Terminal parts are in die-casted aluminium. Diffusers are in opal metacrylate. The lamps are available in matt white, matt black, titan grey and matt gold.



LED 2700K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimnable, DALI push
Tension	230V
Color temperature	2700K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	metal cable length 3m, electric cable lenght 5m, also available in 120V
Net lamp weight	4 kg

Codes

- ITW LWW 56
- ITW LNW 56
- ITW LGW 56
- ITW LDW 56


Structure/Diffuser

- white/white
- black/white
- gold/white
- titan grey/white

PACKAGE

Package 01	Dimension: 28x28x195 cm / Gross weight: 7 kg
------------	--

Certificazioni



LED 3000K

LAMPING

Source	linear LED
Total power	58W
Emission	diffused, 360°
Switching	dimmable, DALI push
Tension	230V
Color temperature	3000K
Luminous flux	2850lm (source luminous flux)
Typ CRI	85
Energy class	A+
Materials	aluminium + PC
Notes	metal cable length 3m, electric cable lenght 5m, also available in 120V
Net lamp weight	4 kg

Codes

ITW LWW 57
ITW LNW 57
ITW LGW 57
ITW LDW 57

Structure/Diffuser

white/white
black/white
gold/white
titan grey/white

PACKAGE

Package 01 Dimension: 28x28x195 cm / Gross weight: 7 kg

Certificazioni

